

	SAFETY DATASHEET	Page : 1/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	R404A
Chemical description	Refrigerant mixture HFC (1.1.1-Trifluoroethane, Pentafluoroethane, 1,1,1,2-Tetrafluoroethane)
CAS N°	-
CE N°	-
Index N°	-
Registration n°	-
Chemical formula	CF ₃ CH ₃ , C ₂ HF ₅ , CH ₂ FCF ₃

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test gas/Calibration gas Use for manufacture of electronic/photovoltaic components Use as refrigerant Laboratory use Contact supplier for more information on uses
Uses advised against	For use by industrial or professional users only

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51
 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Liquefied gas

H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

	SAFETY DATASHEET	Page : 2/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



GHS04

Signal word

Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+403 Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Thermal decomposition into toxic and corrosive products (see chapter 10)

Suffocation by reduction of oxygen content. (vapours heavier than air)

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
1,1,1-Trifluoroethane (R 143A)	(CAS-No.) 420-46-2 (EC-No.) 206-996-5 (EC Index-No.) --- (Registration-No.) 01-2119492869-13	50-54 %	Flam. Gas 1 H220 Press. Gas (Liq.) H280
Pentafluoroethane (R 125)	(CAS-No.) 354-33-6 (EC-No.) 206-557-8 (EC Index-No.) --- (Registration-No.) 01-2119485636-25	42-46 %	Press. Gas (Liq.), H280
1,1,1,2-Tetrafluoroethane (R 134A)	(CAS-No.) 811-97-2 (EC-No.) 212-377-0 (EC Index-No.) --- (Registration-No.) 01-2119459374-33	2-6 %	Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

	SAFETY DATASHEET	Page : 3/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

3.2. Mixtures

Not established

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	No adverse effects expected
In case of eyes contact	Immediate washing, abundant and prolonged with water. If irritation persists, consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

Do not give adrenaline or similar drugs

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	This product is not flammable Water spray or water mist. Dry powder. Carbon dioxide. Foam
Unsuitable extinguishing media	Do not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced Exposure to fire may cause containers to rupture/explode
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbonyl fluoride, carbon monoxide, hydrogen fluoride

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

	SAFETY DATASHEET	Page : 4/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases
 Provide adequate ventilation
 Evacuate personnel to a safe place
 Personal protective equipment, see section 8

6.2. Environmental precautions

-

6.3. Methods and material for containment and cleaning up

Ventilate the area

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place
 Recommended packaging material: ordinary steel, stainless steel.
 Avoid: alloys containing more than 2% magnesium, plastics
 Content under pressure
 Shelf life: ≤ 10 years
 Recommended storage temperature: < 52 °C

7.3. Specific end use(s)

-

	SAFETY DATASHEET	Page : 5/11
		Revised edition n° : 10.2
R404A		Revision date : 03/2024
		MTGxxx

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
1,1,1-Trifluoroethane	420-46-2	TWA	-	No occupational exposure limit value
			-	
		OEL	-	
			-	
Pentafluoroethane	354-33-6	TWA	-	No occupational exposure limit value
			-	
		OEL	-	
			-	
1,1,1,2-Tetrafluoroethane	811-97-2	TWA	1000 ppm	SUVA: Limit values of exposure to workstations
			4 240 mg/m ³	
		OEL	-	SUVA: Limit values of exposure to workstations
			-	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation
 Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection

Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166

Skin / hand protection

Wear protective gloves when handling gas cylinders The selected protective gloves have to satisfy the specifications of EU Directive 89/686 / EEC and the standard EN 374 derived from it

For short-term use

Material: Fluoroelastomer
 Glove thickness: 0.7 mm
 Penetration time: 480 min

For long-term use

Material: Fluoroelastomer
 Glove thickness: 0.7 mm
 Penetration time: 480 min

	SAFETY DATASHEET	Page : 6/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

Have appropriate, chemical-resistant protective clothing ready for use in emergencies

Respiratory protection

Self-contained breathing apparatus (SCBA) or positive pressure air mask must be used in oxygenated atmospheres. Standard EN 137 - Self-contained compressed air device with a full face mask

8.2.3. Environmental exposure controls

-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

- **Physical state at 20°C / 101.3kPa** Gas
- **Colour** Colourless

Odour Slightly ethereal

Odour threshold No data available

pH No data available

Melting point / Freezing point No data available

Boiling point -46.2°C

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) Non-flammable

Explosive limits No data available

Vapour pressure [20°C] 12.5 bar

Vapour pressure [50°C] 23.1 bar

Vapour density No data available

Relative density, liquid (water=1) 1.042

Relative density, gas (air=1) 3.2

Water solubility Slightly soluble in water

Partition coefficient No data available

n-octanol/water (Log Kow)

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity No data available

Explosive properties No data available

Oxidising properties No data available

9.2. Other information

Molar mass 97.6 g/mol

	SAFETY DATASHEET	Page : 7/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

Critical temperature [°C]	72°C
Critical pressure	37.4 bar
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Product may react with strong oxidising agents

10.4. Conditions to avoid

When mixed with high concentrations of air under pressure and/or at elevated temperatures, this substance may be combustible in the presence of an ignition source

Keep away from heat and sources of ignition. Avoid contact with flames and red-hot metal surfaces

10.5. Incompatible materials

Alkaline and alkaline earth metals, strong oxidizers, finely divided metals
For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	Not classified on the basis of available information
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available

	SAFETY DATASHEET	Page : 8/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available

11.2 Information sur les autres dangers

The substance/mixture has no endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Assessment Not very harmful for fish

12.2. Persistence and degradability

Not easily biodegradable

12.3. Bioaccumulative potential

Practically non-bioaccumulative

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Endocrine-disrupting properties

The substance/mixture does not have endocrine disrupting properties

12.7. Other adverse effects

Effect on the ozone layer	May contribute to the greenhouse effect when discharged in large quantities For quantities, see bottle label
Ozone depletion potential	0
Effect on global warming	
Global warming potential	3922

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Must not be released into the atmosphere

R404A

MTGxxx

Contaminated container Burn in a chemical incinerator equipped with an afterburner and scrubber
 Return to the supplier the product not consumed in its original container
 Contact the supplier if instructions are needed

OMoD Code 14 06 01
 Solvent, refrigerant and aerosol propellant or organic foam wastes:
 Chlorofluorocarbons, HCFCs, HFCs

SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
3337	3337	3337

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
REFRIGERANT GAS R 404A	REFRIGERANT GAS R 404A	REFRIGERANT GAS R 404A

14.3. Transport hazard class(es)

Labelling



ADR/RID
 IMDG
 IATA

2.2 : Non-flammable, non-toxic gases

14.4. Packing group

ADR/RID
 IMDG
 IATA

Not established

14.5. Environmental hazards

ADR/RID
 IMDG
 ICAO-TI / IATA-DGR

None
 None
 None

14.6. Special precautions for user

No data available

	SAFETY DATASHEET	Page : 10/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has not been made yet

SECTION 16: Other information

Indication of changes	Revised safety data sheet in accordance with commission regulation (EU) No 2015/830
Abbreviations and acronyms	<p>ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>CAS : Chemical Abstract Service number (USA)</p> <p>CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008</p> <p>CSA : Chemical Safety Assessment</p> <p>EIGA : European Industrial Gases Association</p> <p>EINECS : European Inventory of Existing Commercial Chemical Substances</p> <p>EN : European Standard</p> <p>ATE : Acute Toxicity Estimate</p> <p>IATA : International Air Transport Association</p> <p>IMDG Code : International Maritime Dangerous Goods Code</p> <p>LC50 : Lethal Concentration to 50 % of a test population</p> <p>OMoD : Swiss Ordinance on the movement of waste</p> <p>PBT : Persistent, Bioaccumulative and Toxic</p> <p>PPE: Personal Protection Equipment</p> <p>REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006</p> <p>RID : Regulations concerning the international carriage of dangerous goods by rail</p> <p>RMM : Risk Management Measures</p> <p>STOT-SE : Specific Target Organ Toxicity - Single Exposure</p> <p>UN : United Nations</p> <p>vPvB : Very Persistent and Very Bioaccumulative</p> <p>WGK: Water Hazards Class</p>

	SAFETY DATASHEET	Page : 11/11
		Revised edition n° : 10.2
		Revision date : 03/2024
R404A		MTGxxx

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+403 Protect from sunlight. Store in a well-ventilated place

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press

They do not claim to be exhaustive and should be considered as a guide