

Page : 1/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Fluoromethane (R41)
Chemical description	Fluoromethane, Methyl fluoride
CAS N°	593-53-3
CE N°	209-796-6
Index N°	
Registration n°	01-2120746661-53
Chemical formula	CH₃F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test gas/Calibration gas Chemical reaction / Synthesis Use as refrigerant Laboratory use
Uses advised against	Polymer production. Contact supplier for more information on uses Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable gases, Category 1 Gases under pressure : Liquefied gas

H220 H280



Page : 2/10 Revised edition n°: 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms		
		GHS02 GHS04
Signal word		Danger
Hazard statements		
	H220	Extremely flammable gas
	H280	Contains gas under pressure; may explode if heated
Precautionary statem	nents	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
	P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
	P381	In case of leakage, eliminate all ignition sources
	P410+403	Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Contact with liquid may cause cold burns/frostbite

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Fluoromethane (R41)	(CAS-No.) 593-53-3 (EC-No.) 209-796-6 (EC Index-No.) (Registration-No.) 01-2120746661-53	<= 100%	Flam. Gas 1, H220 Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established



Page : 3/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	No adverse effects expected
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Water spray or water mist. Dry powder. Carbon dioxide. Foam		
Unsuitable extinguishing media	Do not use water jet to extinguish		
5.2. Special hazards arising from	the substance or mixture		
Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced		
	Exposure to fire may cause containers to rupture/explode		

Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbonyl fluoride, carbon monoxide, hydrogen fluoride

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases Provide adequate ventilation Evacuate personnel to a safe place Eliminate ignition sources



Page : 4/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak

6.3. Methods and material for containment and cleaning up

Ventilate the area Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes Avoid breathing vapour or mist Keep away from sources of ignition - No smoking Take precautionary measures against static discharge For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and wellventilated place Content under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Fluoromethane (R41)	593-53-3	TWA	-	No occupational exposure limit value
			-	
		OEL	-	
			-	



Page : 5/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166
Skin / hand protection	Wear protective gloves when handling gas cylinders. Standard EN 388- Protective gloves against mechanical hazards Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 - Insulating gloves against cold Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals
	For short-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	For long-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	Have appropriate, chemical-resistant protective clothing ready for use in emergencies
Respiratory protection	When the risk assessment shows that the use of respirable respirators is appropriate, use a full face mask with EN 14387 multipurpose cartridge. If the mask is the only means of protection, use a full face respirator. Use NIOSH (US) or CEN (EU) tested and approved equipment

8.2.3. Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
 Physical state at 20°C / 101.3kPa 	Gas
Colour	Colourless
Odour	No data available
Odour threshold	No data available
рН	No data available



Page : 6/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

Melting point / Freezing point	-142°C
Boiling point	-78.4°C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Extremely flammable gas
Explosive limits	5.6%
Vapour pressure [20°C]	33 bar
Vapour pressure [50°C]	No data available
Vapour density	No data available
Relative density, liquid (water=1)	0.61
Relative density, gas (air=1)	1.2
Water solubility	2.3 g/l
Partition coefficient	0.51
n-octanol/water (Log Kow)	
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Molar mass	34 g/mol
Critical temperature [°C]	44.5°C
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Can form explosive mixture with air May react violently with oxidants



Page : 7/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

10.5. Incompatible materials

Strong oxidisers For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	No known toxicological effects from this product
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available

SECTION 12: Ecological information

12.1. Toxicity

Assessment

Classification criteria are not met

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available



Page : 8/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

12.5. Results of PBT and vPvB assessment

 PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect

SECTION 13: Disposal considerations 13.1. Waste treatment methods Product Must not be released into the atmosphere Burn in a chemical incinerator equipped with an afterburner and scrubber Return to the supplier the product not consumed in its original container Contaminated container Eliminate as unused product OMoD Code 16 05 04 Gases in pressure containers containing dangerous substances

SECTION 14: Transport information

14.1. UN number

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
2454	2454	2454

14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
Methyl fluoride	Methyl fluoride	Methyl fluoride
(Refrigerant gas R 41)	(Refrigerant gas R 41)	(Refrigerant gas R 41)

14.3. Transport hazard class(es)

Labelling

ADR/RID IMDG IATA



2.1 : Flammable gases



Page : 9/10 Revised edition n° : 10.1 Revision date : 06/2021

Fluoromethane (R41)

MTG059

14.4. <u>Packing group</u> ADR/RID IMDG IATA

Not established

14.5. Environmental hazards

ADR/RID None None ICAO-TI / IATA-DGR None

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has not yet been carried out

SECTION 16: Other information	1	
Indication of changes	Revised safe No 2015/830	ety data sheet in accordance with commission regulation (EU)
Abbreviations and acronyms	ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS :	Chemical Abstract Service number (USA)
	CLP :	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	CSA :	Chemical Safety Assessment
	EIGA :	European Industrial Gases Association
	EINECS :	European Inventory of Existing Commercial Chemical Substances
	EN :	European Standard
	ATE :	Acute Toxicity Estimate
	IATA :	International Air Transport Association
	IMDG Code :	: International Maritime Dangerous Goods Code
	LC50 :	Lethal Concentration to 50 % of a test population



Page : 10/10 Revised edition n° : 10.1 Revision date : 06/2021

MTG059

Fluoromethane (R41)

OMoD :	Swiss Ordinance on the movement of waste
PBT :	Persistent, Bioaccumulative and Toxic
PPE:	Personal Protection Equipment
REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID :	Regulations concerning the international carriage of dangerous goods by rail
RMM :	Risk Management Measures
STOT-SE :	Specific Target Organ Toxicity - Single Exposure
UN :	United Nations
vPvB :	Very Persistent and Very Bioaccumulative
WGK:	Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

	H220	Extremely flammable gas
	H280	Contains gas under pressure; may explode if heated
Precautionary statem	nents	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
	P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
	P381	In case of leakage, eliminate all ignition sources
	P410+403	Protect from sunlight. Store in a well-ventilated place
Disclaimer of liability	,	Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
		They do not claim to be exhaustive and should be considered as a guide