

Page : 1/10 Revised edition n° : 10.1 Revision date : 03/2021

R410A

MTG----

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	R410A
Chemical description	Refrigerant mixture HFC (Dichloromethane, Pentafluoroethane)
CAS N°	
CE N°	
Index N°	-
Registration n°	
Chemical formula	(CH ₂ F ₂ , C ₂ HF ₅)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test gas/Calibration gas Use for manufacture of electronic/photovoltaic components Use as refrigerant
	Laboratory use Contact supplier for more information on uses
Uses advised against	Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Liquefied gas

For the complete H-sentences texts mentioned in that chapter, refer to Section 16



Page : 2/10 Revised edition n° : 10.1 Revision date : 03/2021

MTG----

R410A

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms		
		GHS04
Signal word		Warning
Hazard statements		
	H280	Contains gas under pressure; may explode if heated
Precautionary state	ments	
	P410+403	Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Thermal decomposition into toxic and corrosive products (see chapter 10) Suffocation by reduction of oxygen content. (vapours heavier than air)

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Pentafluoroethane (R125)	(CAS-No.) 354-33-6 (EC-No.) 206-557-8 (EC Index-No.) (Registration-No.) 01-2119485636-25	49 - 52 %	Press. Gas (Liq.), H280
Difluoromethane (R32)	(CAS-No.) 75-10-5 (EC-No.) 200-839-4 (EC Index-No.) (Registration-No.) 01-2119471312-47	48 - 51 %	Flam. Gas 1 H220 Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established



Page : 3/10 Revised edition n° : 10.1 Revision date : 03/2021

R410A

MTG----

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	No adverse effects expected
In case of eyes contact	Immediate washing, abundant and prolonged with water. If irritation persists, consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

Do not give adrenaline or similar drugs

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Water spray or water mist. Dry powder. Carbon dioxide. Foam		
Unsuitable extinguishing media	Do not use water jet to extinguish		
5.2. Special hazards arising from t	he substance or mixture		
Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced		
	Exposure to fire may cause containers to rupture/explode		
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbonyl fluoride, carbon monoxide, hydrogen fluoride		

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases Provide adequate ventilation Evacuate personnel to a safe place Personal protective equipment, see section 8



Page : 4/10 Revised edition n° : 10.1 Revision date : 03/2021

R410A

MTG----

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up

Ventilate the area

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and wellventilated place Recommended packaging material: ordinary steel, stainless steel. Avoid: alloys containing more than 2% magnesium, plastics Contents under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
	354-33-6	TWA	-	
		IVVA	-	No occupational
Pentafluoroethane		OEL	-	exposure limit value
			-	
	75-10-5	TWA	-	
Difluoromethan			-	No occupational exposure limit value
			-	
		OEL	-	



Page : 5/10 Revised edition n° : 10.1 Revision date : 03/2021

MTG----

R410A

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166 $$
Skin / hand protection	Wear protective gloves when handling gas cylinders Standard EN 388- Protective gloves against mechanical hazards
	The selected protective gloves have to satisfy the specifications of EU Directive 89/686 / EEC and the standard EN 374 derived from it
	For short-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	For long-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	Have appropriate, chemical-resistant protective clothing ready for use in emergencies
Respiratory protection	Self-contained breathing apparatus (SCBA) or positive pressure air mask must be used in oxygenated atmospheres. Standard EN 137 - Self- contained compressed air device with a full face mask

8.2.3. Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

•	Physical state at 20°C / 101.3kPa	Gas
•	Colour	Colourless
Odou	ur	No data available
Odou	ur threshold	No data available
рΗ		No data available
Melti	ing point / Freezing point	No data available



Page : 6/10 Revised edition n° : 10.1 Revision date : 03/2021

MTG----

R410A

Boiling point	-52.6°C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	No data available
Vapour pressure [20°C]	16.8 bar
Vapour pressure [50°C]	31.1 bar
Vapour density	No data available
Relative density, liquid (water=1)	1.06
Relative density, gas (air=1)	2.2
Water solubility	No data available
Partition coefficient	No data available
n-octanol/water (Log Kow)	
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Molar mass	72.6 g/mol
Critical temperature [°C]	71°C
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level
SECTION 10: Stability and reactive	vitv
-	
<u>10.1. Reactivity</u>	
	No reactivity hazard other than the effects described in sub-sections below
10.2. Chemical stability	
	Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Product may react with strong oxidising agents

10.4. Conditions to avoid

When mixed with high concentrations of air under pressure and/or at elevated temperatures, this substance may be combustible in the presence of an ignition source



Page : 7/10 Revised edition n° : 10.1 Revision date : 03/2021

R410A

MTG----

Keep away from heat and sources of ignition. Avoid contact with flames and red-hot metal surfaces

10.5. Incompatible materials

Alkaline and alkaline earth metals, strong oxidizers, finely divided metals For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	Non classé sur la base des informations disponibles
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available

SECTION 12:	Ecological information

12.1. Toxicity

Assessment

Not very harmful for fish

12.2. Persistence and degradability

Not readily biodegradable

12.3. Bioaccumulative potential

Practically non-bioaccumulative

12.4. Mobility in soil

No data available



Page : 8/10 Revised edition n° : 10.1 Revision date : 03/2021

MTG----

R410A

12.5. Results of PBT and vPvB assessment

 PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

Contains fluorinated greenhouse gases When discharged in large quantities may contribute to the greenhouse effect

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product	Must not be released into the atmosphere Burn in a chemical incinerator equipped with an afterburner and scrubber Return to the supplier the product not consumed in its original container
Contaminated container	Eliminate as unused product Contact the supplier if instructions are needed
OMoD Code	14 06 01 Solvent, refrigerant and aerosol propellant or organic foam wastes: Chlorofluorocarbons, HCFCs, HFCs

SECTION 14: Transport information

14.1. UN number

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
1078	1078	1078

14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
Refrigerant gas N.O.S	Refrigerant gas N.O.S	Refrigerant gas N.O.S
(Refrigerant gas R 410A)	(Refrigerant gas R 410A)	(Refrigerant gas R 410A)

14.3. Transport hazard class(es)

Labelling

ADR/RID IMDG IATA



2.2 : Non-flammable, non-toxic gases



Page : 9/10 Revised edition n° : 10.1 Revision date : 03/2021

MTG----

14.4. <u>Packing group</u>
ADR/RID
IMDG
ΙΑΤΑ
14.5. Environmental hazards
ADR/RID
IMDG
ICAO-TI / IATA-DGR

None None None

Not established

R410A

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has not been made yet

SECTION 16: Other information		
Indication of changes	Revised safe No 2015/83	ety data sheet in accordance with commission regulation (EU) 0
Abbreviations and acronyms	ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS :	Chemical Abstract Service number (USA)
	CLP :	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	CSA :	Chemical Safety Assessment
	EIGA :	European Industrial Gases Association
	EINECS :	European Inventory of Existing Commercial Chemical Substances
	EN :	European Standard
	ATE :	Acute Toxicity Estimate
	IATA :	International Air Transport Association
	IMDG Code	: International Maritime Dangerous Goods Code
	LC50 :	Lethal Concentration to 50 % of a test population
	OMoD :	Swiss Ordinance on the movement of waste



Page : 10/10 Revised edition n° : 10.1 Revision date : 03/2021

-

R410A

••

PBT :	Persistent, Bioaccumulative and Toxic
PPE:	Personal Protection Equipment
REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID :	Regulations concerning the international carriage of dangerous goods by rail
RMM :	Risk Management Measures
STOT-SE :	Specific Target Organ Toxicity - Single Exposure
UN :	United Nations
vPvB :	Very Persistent and Very Bioaccumulative
WGK:	Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements		
	H280	Contains gas under pressure; may explode if heated
Precautionary statements		
	P410+403	Protect from sunlight. Store in a well-ventilated place
Disclaimer of liability	,	Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press They do not claim to be exhaustive and should be considered as a guide