

	SAFETY DATASHEET	Page : 1/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Chlorine
Chemical description	Chlorine
CAS N°	7782-50-5
CE N°	231-959-5
Index N°	017-001-00-7
Registration n°	01-2119486560-35
Chemical formula	Cl ₂

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional See the list of identified uses and exposure scenarios in the annex of the safety data sheet Contact supplier for more information on uses
Uses advised against	Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51
 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards	Oxidising Gases, Category 1	H270
	Gases under pressure : Liquefied gas	H280
Health hazards	Skin corrosion/irritation, Category 2	H315

	SAFETY DATASHEET	Page : 2/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

	Serious eye damage/eye irritation, Category 2	H319
	Acute toxicity (inhalation: gas) Category 2	H330
	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Environmental hazards	Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
	Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms	   
	GHS03 GHS04 GHS06 GHS09

Signal word

Danger

Hazard statements

H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract

Precautionary statements

P220	Keep away from combustible materials
P244	Keep valves and fittings free from oil and grease
P260	Do not breathe gas, vapours
P273	Avoid release to the environment
P280	Wear protective gloves, protective clothing, eye protection, face protection
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention

	SAFETY DATASHEET	Page : 3/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention
P332+P313	If skin irritation occurs: Get medical advice/attention
P370+P376	In case of fire: stop leak if safe to do so
P410+P403	Protect from sunlight. Store in a well-ventilated place
P405	Store locked up

2.3. Other hazards

Data not available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Chlorine	(CAS-No.) 7782-50-5 (EC-No.) 231-959-5 (EC Index-No.) 017-001-00-7 (Registration-No.) 01-2119486560-35	≤ 100%	Ox. Gas 1, H270 Press. Gas (Liq.), H280 Acute Tox. 2 (Inhalation: gas), H330 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

None

SECTION 4: First aid measures

4.1. Description of first aid measures

General advices	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	Remove contaminated clothing and shoes immediately. Wash with soap and plenty of water. Take victim immediately to hospital. See a doctor
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

	SAFETY DATASHEET	Page : 4/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

4.2. Most important symptoms and effects, both acute and delayed

The main known symptoms and effects are described on the labelling (see section 2.2) and or section 11

4.3. Indication of any immediate medical attention and special treatment needed

Data not available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray or water mist. Carbon dioxide. Dry powder. Foam

Unsuitable extinguishing media Do not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire or excessive heat, hazardous decomposition products may form

Exposure to fire may cause containers to rupture/explode

Hazardous combustion products No product that is more toxic than the product itself

5.3. Additional information

Wear self-contained breathing apparatus for firefighting if necessary. (Standard EN 137 - Self-contained compressed air device with a full face mask)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases

Provide adequate ventilation

Evacuate personnel to a safe place

Personal protective equipment, see section 8

6.2. Environmental precautions


Avoid further spills and leaks, if this is possible safely. All littering must be avoided in the environment

6.3. Methods and material for containment and cleaning up

Hose down area with water

Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

Wash contaminated equipment or sites of leaks with copious quantities of water

	SAFETY DATASHEET	Page : 5/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes
 Avoid breathing vapour or mist
 Keep away from sources of ignition - No smoking
 For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place
 Content under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Value	Source
Chlorine	7782-50-5	TWA	0.5 ppm	SUVA: Limit values of exposure to workstations
			1.5 mg/m ³	
		OEL	0.5 ppm	SUVA: Limit values of exposure to workstations
			1.5 mg/m ³	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation
 Gas detectors should be used when toxic gases may be released

	SAFETY DATASHEET	Page : 6/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166 - Personal eye-protection - specifications
Skin / hand protection	<p>Wear protective gloves when handling gas cylinders. Standard EN 388- Protective gloves against mechanical hazards Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 - Insulating gloves against cold Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals</p> <p>For short-term use Material: Chloroprene rubber Penetration time:> 30 min Glove thickness: 0.4 mm</p> <p>For long-term use Material: Fluoroélastomère. Penetration time:> 480 min Glove thickness: 0.7 mm</p> <p>Have appropriate, chemical-resistant protective clothing ready for use in emergencies. Standard EN943-1</p>
Respiratory protection	Self-contained breathing apparatus (SCBA) or positive pressure air mask must be used in oxygenated atmospheres. Standard EN 137 - Self-contained compressed air device with a full face mask

8.2.3. Environmental exposure controls

Avoid any spill or leak if it can be done safely

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

• Physical state at 20°C / 101.3kPa	Gas
• Colour	Greenish gas
Odour	Pungent
Odour threshold	Data not available
pH	Data not available
Melting point / Freezing point	-101°C
Boiling point	-34.1°C
Flash point	Data not available
Evaporation rate	Data not available
Flammability (solid, gas)	Data not available
Explosive limits	Data not available
Vapour pressure [20°C]	6.8 bar

Chlorine

MTG022

Vapour pressure [50°C]	14.3 bar
Vapour density	Data not available
Relative density, liquid (water=1)	Data not available
Relative density, gas (air=1)	2.44
Water solubility	8.6 g/l
Partition coefficient n-octanol/water (Log Kow)	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available
Explosive properties	Data not available
Oxidising properties	Data not available

9.2. Other information

Molar mass	71 g/mol
Critical temperature [°C]	143.8°C
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under the recommended storage conditions

10.3. Possibility of hazardous reactions


Oxide violently organic matter. May react violently with combustible materials. May react violently with reducing agents

10.4. Conditions to avoid

Avoid moisture in installation systems

10.5. Incompatible materials

May react violently with combustible materials
 May react violently with reducing agents
 Keep equipment free from oil and grease
 Reacts with water to form corrosive acids
 May react violently with alkalis

	SAFETY DATASHEET	Page : 8/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

With water causes rapid corrosion of some metals

Moisture

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

Reacts with water to form hydrochloric acid

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	Fatal if inhaled Delayed fatal pulmonary oedema possible
Skin corrosion/irritation	Causes serious skin irritation
Serious eye damage/irritation	Causes serious eye irritation
Respiratory or skin sensitisation	Data not available
Germ cell mutagenicity	Data not available
Carcinogenicity	Data not available
Reproductive toxicity	Data not available
STOT-single exposure – Target organ(s)	Severe corrosion to the respiratory tract at high concentrations. May cause inflammation of the respiratory system Respiratory tract
STOT-repeated exposure	Data not available
Aspiration hazard	The product is extremely destructive of the tissues of the mucous, the upper respiratory tract of the eyes and the skin

SECTION 12: Ecological information

12.1. Toxicity

Assessment	Exposures at low doses (<15 ppm) cause nasal, ocular and pharyngeal mucosal irritation with no clinical consequence It is estimated that the minimum lethal concentration in man is 430 ppm for exposure exceeding 30 min, and exposure to 1000 ppm is rapidly fatal Very toxic to aquatic life with long lasting effects
-------------------	---

12.2. Persistence and degradability

Data not available

12.3. Bioaccumulative potential

Data not available

	SAFETY DATASHEET	Page : 9/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

12.4. Mobility in soil

Data not available

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

Very toxic to aquatic organisms

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product	Must not be released into the atmosphere Burn in a chemical incinerator equipped with an afterburner and scrubber Return to the supplier the product not consumed in its original container
Contaminated container	Eliminate as unused product Contact the supplier if instructions are needed
OMoD Code	16 05 04 Gases in pressure containers containing dangerous substances

SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1017	1017	1017

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
Chlorine	Chlorine	Chlorine

14.3. Transport hazard class(es)

Labelling



	SAFETY DATASHEET	Page : 10/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

ADR/RID
IMDG
IATA

2.3 : Toxic gases
5.1 : Oxidizing substances
8 : Corrosive substances
Environmentally hazardous substances

14.4. Packing group

ADR/RID
IMDG
IATA

Not established

14.5. Environmental hazards

ADR/RID

Environmentally hazardous substance / mixture

IMDG

Marine pollutant

ICAO-TI / IATA-DGR

Environmentally hazardous substance / mixture

14.6. Special precautions for user

Data not available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has been carried out

SECTION 16: Other information

Indication of changes

Revised safety data sheet in accordance with commission regulation (EU) No 2015/830

Abbreviations and acronyms

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstract Service number (USA)
CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CSA : Chemical Safety Assessment
EIGA : European Industrial Gases Association

	SAFETY DATASHEET	Page : 11/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

EINECS :	European Inventory of Existing Commercial Chemical Substances
EN :	European Standard
ATE :	Acute Toxicity Estimate
IATA :	International Air Transport Association
IMDG Code :	International Maritime Dangerous Goods Code
LC50 :	Lethal Concentration to 50 % of a test population
OMoD :	Swiss Ordinance on the movement of waste
PBT :	Persistent, Bioaccumulative and Toxic
PPE:	Personal Protection Equipment
REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID :	Regulations concerning the international carriage of dangerous goods by rail
RMM :	Risk Management Measures
STOT-SE :	Specific Target Organ Toxicity - Single Exposure
UN :	United Nations
vPvB :	Very Persistent and Very Bioaccumulative
WGK:	Water Hazards Class


Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H270	May cause or intensify fire; oxidizer
H280	Contains gas under pressure; may explode if heated
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract

Precautionary statements

P220	Keep away from combustible materials
P244	Keep valves and fittings free from oil and grease
P260	Do not breathe gas, vapours
P273	Avoid release to the environment
P280	Wear protective gloves, protective clothing, eye protection, face protection
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention

	SAFETY DATASHEET	Page : 12/12
		Revised edition n° : 10.0
		Revision date : 03/2018
Chlorine		MTG022

P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention
P332+P313	If skin irritation occurs: Get medical advice/attention
P370+P376	In case of fire: stop leak if safe to do so
P410+P403	Protect from sunlight. Store in a well-ventilated place
P405	Store locked up

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press

They do not claim to be exhaustive and should be considered as a guide