

Page : 1/11

Revised edition n°: 10.0

Revision date: 08/2018

## **MTG054**

# **Ethylamine**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Trade nameEthylamineChemical descriptionEthylamineCAS N°75-04-7CE N°200-834-7Index N°612-002-00-4

**Registration n°** 01-2119485800-36

Chemical formula C<sub>2</sub>H<sub>7</sub>N

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial and professional

Test gas/Calibration gas Chemical reaction / Synthesis

Laboratory use Contact supplier for more information on uses

Uses advised against Consumer use not recommended

#### 1.3. Details of the supplier of the safety data sheet

**MULTIGAS** 

**Company identification** Route de l'Industrie 102

CH-1564 Domdidier

**Phone number** +41 (0) 26 676 94 94

E-mail address <u>info@multigas.ch</u>

## 1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51

+41 (0) 26 676 94 94 (Multigas)

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Flammable gases, Category 1 H220

Gases under pressure : Liquefied gas H280

Serious eye damage/eye irritation, Category 2 H319



Page : 2/11

Revised edition n°: 10.0 Revision date: 08/2018

**MTG054** 

# **Ethylamine**

Acute toxicity (inhalation: gas) Category 4

H332

Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms	
	GHS02 GHS04 GHS07
Signal word	Danger
Hazard statements	
H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P261	Avoid breathing gas
P280	Wear protective gloves, protective clothing, eye protection, face protection
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention
P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
P381	In case of leakage, eliminate all ignition sources
P410+403	Protect from sunlight. Store in a well-ventilated place

## 2.3. Other hazards

None



Page : 3/11

Revised edition n°: 10.0

Revision date: 08/2018

**Ethylamine** 

**MTG054** 

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name	Product identifier	Concentration	Classification
Ethylamine	(CAS-No.) 75-04-7 (EC-No.) 200-834-7 (EC Index-No.) 612-002-00-4 (Registration-No.) 01-2119485800-36	<= 100%	Flam. Gas 1, H220 Press. Gas (Liq.), H280 Acute Tox. 4 (Inhalation: gas), H332 Eye Irrit. 2, H319 STOT SE 3, H335

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

#### 3.2. Mixtures

Not established

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

**General advice** See a doctor. Show this safety data sheet to the attending physician

In case of inhalation In case of inhalation, remove the person from the contaminated area. In

case of respiratory arrest, give artificial respiration. See a doctor

In case of skin contact

Adverse effects not expected from this product

In case of eyes contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

doctor

In case of ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. See a doctor

## 4.2. Most important symptoms and effects, both acute and delayed

May cause irritation to cornea (with temporary disturbance to vision)

May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in

breathing

Refer to section 11

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available



Page : 4/11

Revised edition n°: 10.0

Revision date: 08/2018

# **MTG054**

# **Ethylamine**

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media Water spray or water mist. Dry powder. Carbon dioxide. Foam

Unsuitable extinguishing media Do not use water jet to extinguish

## 5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire or excessive heat, hazardous combustion products may be

produced

Exposure to fire may cause containers to rupture/explode

Hazardous combustion products In case of fire or excessive heat, hazardous combustion products may be

produced such as: carbon oxides, nitric oxide/nitrogen dioxide (NO<sub>x</sub>)

## 5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases

Provide adequate ventilation Eliminate ignition sources

Evacuate personnel to a safe place

Prevent from entering sewers, basements and workpits, or any place where

its accumulation can be dangerous

Personal protective equipment, see section 8

## 6.2. Environmental precautions

Try to stop the leak

## 6.3. Methods and material for containment and cleaning up

Ventilate the are

Keep area evacuated and free from ignition sources until any spilled liquid

has evaporated (ground free from frost)

## 6.4. Reference to other sections

See also sections 8 and 13



Page : 5/11

Revised edition n°: 10.0

Revision date: 08/2018

# **Ethylamine**

**MTG054** 

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes

Avoid breathing vapour or mist

Keep away from sources of ignition - No smoking

Take precautionary measures against static discharge

For precautions, see section 2.2

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place

Never allow the product to come into contact with water during storage.

Cool to 0 ° C before opening

Content under pressure

#### 7.3. Specific end use(s)

None

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Ethylamine 75-04-7		TWA	5 ppm	SUVA: Limit values of exposure to workstations
	75-04-7		9 mg/m³	
		OEL	10 ppm	SUVA: Limit values of exposure to
			18 mg/m³	workstations

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation

Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

#### 8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection

Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166



Page: 6/11

Revised edition n°: 10.0

Revision date: 08/2018

# **Ethylamine**

**MTG054** 

Skin / hand protection

Wear protective gloves when handling gas cylinders. Standard EN 388-Protective gloves against mechanical hazards Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 -Insulating gloves against cold Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals

For short-term use

Material: Butyl rubber Penetration time:> 480 min Glove thickness: 0.3 mm

For long-term use Material: Butyl rubber Penetration time:> 480 min Glove thickness: 0.3 mm

Have appropriate, chemical-resistant protective clothing ready for use in

emergencies

**Respiratory protection** When the risk assessment shows that the use of respirable respirators is

appropriate, use a full face mask with EN 14387 multipurpose cartridge. If the mask is the only means of protection, use a full face respirator. Use

NIOSH (US) or CEN (EU) tested and approved equipment

#### 8.2.3. Environmental exposure controls

Avoid any spill or leak if it can be done safely

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

#### **Appearance**

Physical state at 20°C / Gas 101.3kPa

Colour Colourless

Odour No data available **Odour threshold** No data available Hq No data available

-81°C Melting point / Freezing point **Boiling point** 16.6°C

Flash point 36.99°C (Closed cup) **Evaporation rate** No data available

Flammability (solid, gas) Extremely flammable gas

**Explosive limits** 3.5 - 14%Vapour pressure [20°C] 1.2 bar Vapour pressure [50°C] 33 bar

Vapour density No data available

Relative density, liquid (water=1) 0.69



Page: 7/11

Revised edition n°: 10.0

Revision date: 08/2018

# Ethylamine MTG054

Relative density, gas (air=1) 1.7

Water solubility Completely soluble

Partition coefficient -0.13

n-octanol/water (Log Kow)

Auto-ignition temperature 385°C

Decomposition temperatureNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidising propertiesNo data available

#### 9.2. Other information

Molar mass45 g/molCritical temperature [°C]183°C

Relative vapour density

Gas/vapour heavier than air. May accumulate in confined spaces,

particularly at or below ground level

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

## 10.2. Chemical stability

Stable under recommended storage conditions

#### 10.3. Possibility of hazardous reactions

Can form explosive mixture with air May react violently with oxidants

## 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

## 10.5. Incompatible materials

Strong oxidizers, strong acids, nickel, copper, zinc, silver, mercury, brass

For additional information on compatibility refer to ISO 11114

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced



Page: 8/11

Revised edition n°: 10.0 Revision date: 08/2018

MTG054

# **Ethylamine**

## **SECTION 11: Toxicological information**

## 11.1. Chemical safety assessment

Acute toxicityHarmful if inhaledSkin corrosion/irritationNo data available

Serious eye damage/irritation Causes serious eye irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure – Target

organ(s)

May cause respiratory irritation

STOT-repeated exposure No data available
Ingestion hazard No data available

## **SECTION 12: Ecological information**

## **12.1. Toxicity**

**Assessment** Classification criteria are not met

## 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

## 12.6. Other adverse effects

No data available



Page : 9/11

Revised edition n°: 10.0

Revision date: 08/2018

## **MTG054**

# **Ethylamine**

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**Product** Must not be released into the atmosphere

Burn in a chemical incinerator equipped with an afterburner and scrubber Return to the supplier the product not consumed in its original container

Contaminated container Eliminate as unused product

Contact the supplier if instructions are needed

**OMoD Code** 16 05 04

Gases in pressure containers containing dangerous substances

## **SECTION 14: Transport information**

#### **14.1. UN number**

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1036	1036	1036

## 14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
Ethylamine	Ethylamine	

## 14.3. Transport hazard class(es)

Labelling

2

ADR/RID IMDG IATA

2.1: Flammable gases

14.4. Packing group

ADR/RID
IMDG Not established
IATA

## 14.5. Environmental hazards

ADR/RID None
IMDG None
ICAO-TI / IATA-DGR None



Page : 10/11

Revised edition n°: 10.0 Revision date: 08/2018

**MTG054** 

# **Ethylamine**

## 14.6. Special precautions for user

No data available

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

## 15.2. Chemical safety assessment

A CSA has not yet been carried out

SECTION	16.	Other	infor	mation
SECTION		OHE	HILLOR	IIIAIIOII

Indication of changes Revised safety data sheet in accordance with commission regulation (EU)

No 2015/830

Abbreviations and acronyms ADR: European Agreement concerning the International Carriage

of Dangerous Goods by Road

CAS : Chemical Abstract Service number (USA)

CLP: Classification Labelling Packaging Regulation; Regulation

(EC) No 1272/2008

CSA: Chemical Safety Assessment

EIGA: European Industrial Gases Association

EINECS: European Inventory of Existing Commercial Chemical

Substances

EN: European Standard
ATE: Acute Toxicity Estimate

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code
LC50: Lethal Concentration to 50 % of a test population
OMoD: Swiss Ordinance on the movement of waste

PBT : Persistent, Bioaccumulative and Toxic

PPE: Personal Protection Equipment

REACH: Registration, Evaluation, Authorisation and Restriction of

Chemicals Regulation (EC) No 1907/2006

RID: Regulations concerning the international carriage of

dangerous goods by rail

RMM: Risk Management Measures

STOT-SE: Specific Target Organ Toxicity - Single Exposure

UN: United Nations

vPvB: Very Persistent and Very Bioaccumulative



Page: 11/11

Revised edition n°: 10.0

Revision date: 08/2018

## **MTG054 Ethylamine**

WGK:

Water Hazards Class

## Full text of H, EUH and P statements used in sections 2 and 3

P410+403

Hazard	atatam	anta
Hazarn	etatom	DNTC

H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
ments	

## **Precautionary staten**

H335	May cause respiratory irritation		
nary statements			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking		
P261	Avoid breathing gas		
P280	Wear protective gloves, protective clothing, eye protection, face protection		
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention		
P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention		
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely		
P381	In case of leakage, eliminate all ignition sources		

Protect from sunlight. Store in a well-ventilated place

## **Disclaimer of liability**

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of

going to press

They do not claim to be exhaustive and should be considered as a guide