

Page : 1/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Hexafluoro - 1, 3 - Butadiène
Chemical description	Hexafluoro - 1, 3 – Butadiène; 1,1,2,3,4,4-hexafluorobuta-1,3-diene ; hexafluorobuta-1,3-diene
CAS N°	685-63-2
CE N°	211-681-0
Index N°	-
Registration n°	Not available
Chemical formula	C ₄ F ₆

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional
	Test or calibration gas
	Laboratory use
	Chemical reaction / synthesis
	Contact supplier for more information on uses
Uses advised against	Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable gases, Category 1 Gases under pressure : Liquefied gas

H220 H280



Page : 2/11 Revised edition n° : 10.0 Revision date : 08/2019

MTGxxx

Hexafluoro - 1, 3 - Butadiene

Acute toxicity - inhalation Cat. 3

H331

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

	$\land \land \land$	
Hazard pictograms		
	\vee \vee \vee	
	GHS02 GHS04 GHS06	
Signal word	Danger	
Hazard statements		
H220	Extremely flammable gas	
H280	Contains gas under pressure; may explode if heated	
H331	Toxic if inhaled	
Precautionary statements		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking	
P260	Do not breathe dust/fume/gas/mist/vapours/spray	
P304+P340+P315	INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice/attention	
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely	
P381	In case of leakage, eliminate all ignition sources	
P410+403	Protect from sunlight. Store in a well-ventilated place	
P405	Store locked up	
2.3. Other hazards		

2.3. Other hazards

Contact with liquid may cause cold burns/frostbite

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Hexafluoro - 1, 3 - butadiene	(CAS-No.) 685-63-2 (EC-No.) 211-681-0 (EC Index-No.) - (Registration-No.) -	<= 100%	Flam. Gas 1, H220 Acute Tox. 3, H331 Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16



Page : 3/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	Remove contaminated clothing and shoes immediately. Wash with soap and plenty of water. Take victim immediately to hospital. See a doctor
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Ingestion is not considered a possible route of exposure

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

May be fatal if inhaled Treat with a corticosteroid spray as soon as possible after inhalation Consult a doctor immediately

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	Water spray or water mist. Dry powder. Foam	
Unsuitable extinguishing media	Carbon dioxide	
	Do not use water jet to extinguish	
5.2. Special hazards arising from	the substance or mixture	
Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced	
	Exposure to fire may cause containers to rupture/explode	
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be	

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

produced such as : carbon monoxide, halogenated compounds



Page : 4/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases Provide adequate ventilation Evacuate personnel to a safe place Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak Decrease vapour by water spray in the form of fog or fine droplets

6.3. Methods and material for containment and cleaning up

Ventilate the area Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes Avoid breathing vapour or mist Keep away from sources of ignition - No smoking For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and wellventilated place Content under pressure

7.3. Specific end use(s)

None



Page : 5/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Hexafluoro-1,3- butadiene	685-63-2	TWA	-	
			-	No occupational exposure limit value
		OEL	-	
			-	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation Gas detectors should be used when flammable gases may be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166
Skin / hand protection	Wear protective gloves when handling gas cylinders. Standard EN 388- Protective gloves against mechanical hazards Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 - Insulating gloves against cold Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals
	For short-term use
	Material: Fluoropren rubber
	Penetration time:> 30 min
	Glove thickness: 0.4 mm
	For long-term use
	Material: Fluoroelastomer.
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	Have appropriate, chemical-resistant protective clothing ready for use in emergencies
Respiratory protection	Self-contained breathing apparatus (SCBA) or mask with positive pressure air supply must be used in oxygenated atmospheres. Standard EN 137

8.2.3. Environmental exposure controls



Page : 6/11 Revised edition n° : 10.0 Revision date : 08/2019

MTGxxx

Hexafluoro - 1, 3 - Butadiene

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Appearance	
 Physical state at 20°C / 101.3kPa 	Gas
• Colour	Colourless
Odour	No data available
Odour threshold	No data available
рН	No data available
Melting point / Freezing point	-132°C
Boiling point	6°C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Explosive limits	7 - 73 %
Vapour pressure [20°C]	1.9 bar
Vapour pressure [50°C]	No data available
Vapour density	No data available
Relative density, liquid (water=1)	No data available
Relative density, gas (air=1)	1.4
Water solubility	No data available
Partition coefficient	No data available
n-octanol/water (Log Kow)	
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Molar mass	162 g/mol
Critical temperature [°C]	139.6°C
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level



Page : 7/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 10: Stability and reactivity 10.1. Reactivity No reactivity hazard other than the effects described in sub-sections below 10.2. Chemical stability Stable under recommended storage conditions 10.3. Possibility of hazardous reactions Can form explosive mixture with air May react violently with oxidants 10.4. Conditions to avoid Avoid moisture in the installation. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smoke 10.5. Incompatible materials Air, oxidizers For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	No data available
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	May cause genetic defects
Carcinogenicity	May cause cancer
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available



Page : 8/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 12: Ecological information		
<u>12.1. Toxicity</u>		
Assessment	Classification criteria are not met	
12.2. Persistence and degradability		
TZ.Z. T CISIStence and degradability	No data available	
12.3. Bioaccumulative potential		
	No data available	
<u>12.4. Mobility in soil</u>		
12.4. Mobility III 301	No data available	
<u>12.5. Results of PBT and vPvB ass</u>	essment	
	PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted	
12.6. Other adverse effects		
	No data available	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product	Must not be discharged to atmosphere	
	Burn in a chemical incinerator equipped with an afterburner and scrubber	
	Return unused product in original cylinder to supplier	
Contaminated container	Eliminate as unused product	
	Contact the supplier if instructions are needed	

OMoD Code

Gases in pressure containers containing dangerous substances

SECTION 14: Transport information

14.1. UN number

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
3160	3160	3160

16 05 04



Page : 9/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
LIQUEFIED GAS, TOXIC,	LIQUEFIED GAS, TOXIC,	LIQUEFIED GAS, TOXIC,
FLAMMABLE, N.O.S.(1,1,2,3,4,4-	FLAMMABLE, N.O.S.(1,1,2,3,4,4-	FLAMMABLE, N.O.S.(1,1,2,3,4,4-
Hexafluorobuta-1,3-diene)	Hexafluorobuta-1,3-diene)	Hexafluorobuta-1,3-diene)

14.3. Transport hazard class(es)

Labelling			
ADR/RID	2.1 : Flammable gases		
IMDG	2.3: Toxic gases		
ΙΑΤΑ	2.0. Toxic gabbe		
14.4. <u>Packing group</u> ADR/RID IMDG IATA	Not established		
<u>14.5. Environmental hazards</u>			
ADR/RID	None		
IMDG	None		
ICAO-TI / IATA-DGR	None		
14.6. Special precautions for user	No data available		
14.7. Transport in bulk according to Annex II of Marpol and			

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

No chemical risk assessment (CSA) has been done for this product



Page : 10/11 Revised edition n° : 10.0 Revision date : 08/2019

Hexafluoro - 1, 3 - Butadiene

MTGxxx

SECTION 16: Other information		
Indication of changes	Revised safety data sheet in accordance with commission regulation (EU) No 2015/830	
Abbreviations and acronyms	ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS :	Chemical Abstract Service number (USA)
	CLP :	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	CSA :	Chemical Safety Assessment
	EIGA :	European Industrial Gases Association
	EINECS :	European Inventory of Existing Commercial Chemical Substances
	EN :	European Standard
	ATE :	Acute Toxicity Estimate
	IATA :	International Air Transport Association
	IMDG Code :	International Maritime Dangerous Goods Code
	LC50 :	Lethal Concentration to 50 % of a test population
	OMoD :	Swiss Ordinance on the movement of waste
	PBT :	Persistent, Bioaccumulative and Toxic
	PPE:	Personal Protection Equipment
	REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	RID :	Regulations concerning the international carriage of dangerous goods by rail
	RMM :	Risk Management Measures
	STOT-SE :	Specific Target Organ Toxicity - Single Exposure
	UN :	United Nations
	vPvB :	Very Persistent and Very Bioaccumulative
	WGK:	Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements H220 Extremely flammable gas Contains gas under pressure; may explode if heated H280 Toxic if inhaled H331 **Precautionary statements** Keep away from heat, hot surfaces, sparks, open flames and other ignition P210 sources. No smoking P260 Do not breathe dust/fume/gas/mist/vapours/spray INHALED: Remove victim to fresh air and keep at rest in a position P304+P340+P315 comfortable for breathing. Get immediate medical advice/attention P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely



Hexafluoro - 1, 3 - Butadiene

Page : 11/11 Revised edition n° : 10.0 Revision date : 08/2019

MTGxxx

	P381	In case of leakage, eliminate all ignition sources
	P410+403	Protect from sunlight. Store in a well-ventilated place
	P405	Store locked up
Disclaimer of liability		Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
		They do not claim to be exhaustive and should be considered as a guide