

Page: 1/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trimethylamine Trade name **Chemical description** Trimethylamine

CAS N° 75-50-3 CE N° 200-875-0 Index N° 612-001-00-9

Registration n° 01-2119492296-28 Chemical formula C₃H₉N or (CH₃)₃N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial and professional

> Test gas/Calibration gas Chemical reaction / Synthesis

Laboratory use

Contact supplier for more information on uses

Uses advised against Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

MULTIGAS

Company identification Route de l'Industrie 102

CH-1564 Domdidier

Phone number +41 (0) 26 676 94 94

E-mail address info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51

+41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Flammable gases, Category 1 H220

> Gases under pressure: Liquefied gas H280



Page : 2/11

Revised edition n°: 10.0 Revision date: 08/2018

MTG122

Trimethylamine

Skin corrosion/irritation, Category 2

H315
Serious eye damage/eye irritation, Category 1

H318
Acute toxicity (inhalation: gas) Category 4

H332
Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

P410+403

Hazard pictograms			
	GHS02 GHS04 GHS05 GHS07		
Signal word	Danger		
Hazard statements			
H220	Extremely flammable gas		
H280	Contains gas under pressure; may explode if heated		
H315	Causes skin irritation		
H318	Causes serious eye damage		
H332	Harmful if inhaled		
H335	May cause respiratory irritation		
Precautionary statements			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking		
P260	Do not breathe gas, vapours		
P280	Wear protective gloves, protective clothing, eye protection, face protection		
P302+P352	IF ON SKIN: Wash with plenty of soap and water		
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention		
P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention		
P332+P313	If skin irritation occurs: Get medical advice/attention		
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely		
P381	In case of leakage, eliminate all ignition sources		

Protect from sunlight. Store in a well-ventilated place



Page : 3/11

Revised edition n°: 10.0 Revision date: 08/2018

MTG122

Trimethylamine

2.3. Other hazards

None

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Trimethylamine	(CAS-No.) 75-50-3 (EC-No.) 200-875-0 (EC Index-No.) 612-001-00-9 (Registration-No.) 01-2119492296-28	<= 100%	Flam. Gas 1, H220 Press. Gas (Liq.), H280 Acute Tox. 4 (Inhalation: gas), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice See a doctor. Show this safety data sheet to the attending physician

In case of inhalation In case of inhalation, remove the person from the contaminated area. In

case of respiratory arrest, give artificial respiration. See a doctor

In case of skin contact Remove contaminated clothing and shoes immediately. Wash with soap

and plenty of water. Take victim immediately to hospital. See a doctor

In case of eyes contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

doctor

In case of ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

May cause severe chemical burns to cornea. Suitable first-aid treatment should be immediately available. Seek medical advice before using product

May cause irritation to skin

May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in

breathing

Refer to section 11



Page : 4/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray or water mist. Dry powder. Carbon dioxide. Foam

Unsuitable extinguishing mediaDo not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire or excessive heat, hazardous combustion products may be

produced

Exposure to fire may cause containers to rupture/explode

Hazardous combustion products In case of fire or excessive heat, hazardous combustion products may be

produced such as: carbon monoxide, nitric oxide/nitrogen dioxide (NO_x)

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases

Provide adequate ventilation

Evacuate personnel to a safe place

Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak

6.3. Methods and material for containment and cleaning up

Ventilate the area

Keep area evacuated and free from ignition sources until any spilled liquid

has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13



Page: 5/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Avoid breathing vapour or mist

Keep away from sources of ignition - No smoking Take precautionary measures against static discharge

For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-

ventilated place

Never allow the product to come into contact with water during storage

Content under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source	
Trimethylamine	75-50-3	TWA	2 ppm	SUVA: Limit values of exposure to workstations	
			4.9 mg/m ³		
		OEL	4 ppm	SUVA: Limit values of	
			9.8 mg/m ³	exposure to workstations	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation

Gas detectors should be used when flammable / toxic gases / vapours are

likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Wear goggles and a face shield when transfilling or breaking transfer Eye/face protection

connections. Standard EN 166

Skin / hand protection Wear protective gloves when handling gas cylinders. Standard EN 388-

Protective gloves against mechanical hazards Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 -



Page : 6/11

Revised edition n°: 10.0 Revision date: 08/2018

MTG122

Trimethylamine

Insulating gloves against cold Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals

For short-term use

Material: Nitrile rubber Penetration time:> 120 min Glove thickness: 0.7 mm

For long-term use

Material: Fluoroelastomer Penetration time:> 480 min Glove thickness: 0.7 mm

Have appropriate, chemical-resistant protective clothing ready for use in

emergencies

Respiratory protection When the risk assessment shows that the use of respirable respirators is

appropriate, use a full face mask with EN 14387 multipurpose cartridge. If the mask is the only means of protection, use a full face respirator. Use

NIOSH (US) or CEN (EU) tested and approved equipment

8.2.3. Environmental exposure controls

-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state at 20°C /

101.3kPa

Gas

• Colour Colourless

Odour No data available
Odour threshold No data available
pH No data available

Melting point / Freezing point -117°C

Boiling point 3°C

Flash point -7°C (Closed cup)

Evaporation rate No data available

Flammability (solid, gas) Extremely flammable gas

Explosive limits 2 – 11.6%

Vapour pressure [20°C] 1.9 bar

Vapour pressure [50°C] 4.5 bar

Vapour density No data available

Relative density, liquid (water=1) 0.65 Relative density, gas (air=1) 2

Water solubility > 475 g/l



Page: 7/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

Partition coefficient

0.16

190°C

n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature No data available **Viscosity** No data available **Explosive properties** No data available No data available **Oxidising properties**

9.2. Other information

Molar mass 59 g/mol 160 °C Critical temperature [°C]

Gas/vapour heavier than air. May accumulate in confined spaces, Relative vapour density

particularly at or below ground level

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

Can form explosive mixture with air May react violently with oxidants

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

10.5. Incompatible materials

Strong oxidizers, brass, magnesium, zinc, copper, mercury and its oxides,

tin and its oxides

Reacts with water to form corrosive alkalis

May react violently with acids

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition

products should not be produced



Page: 8/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity Harmful if inhaled
Skin corrosion/irritation Causes skin irritation

Serious eye damage/irritation Causes serious eye damage

Respiratory or skin sensitisationNo data availableGerm cell mutagenicityNo data availableCarcinogenicityNo data availableReproductive toxicityNo data available

STOT-single exposure – Target

organ(s)

May cause respiratory irritation - Lungs

STOT-repeated exposure No data available
Ingestion hazard No data available

SECTION 12: Ecological information

12.1. Toxicity

Assessment Classification criteria are not met

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

Harmful to aquatic life, causes long-term adverse effects May cause pH changes in aqueous ecological systems



Page : 9/11

MTG122

Revised edition n°: 10.0 Revision date: 08/2018

Trimethylamine

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Must not be released into the atmosphere

Burn in a chemical incinerator equipped with an afterburner and scrubber Return to the supplier the product not consumed in its original container

Contaminated container Eliminate as unused product

Contact the supplier if instructions are needed

OMoD Code 16 05 04

Gases in pressure containers containing dangerous substances

SECTION 14: Transport information

14.1. UN number

Transport par road/rail	Transport by sea	Transport by air	
ADR / RID	IMDG	IATA	
1083	1083	1083	

14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air	
ADR / RID	IMDG	IATA	
Trimethylamine, anhydrous	Trimethylamine, anhydrous	Trimethylamine, anhydrous	

14.3. Transport hazard class(es)

Labelling

2

ADR/RID IMDG IATA

2.1: Flammable gases

14.4. Packing group

ADR/RID IMDG IATA

Not established

14.5. Environmental hazards

ADR/RID None
IMDG None
ICAO-TI / IATA-DGR None



Page : 10/11

Revised edition n°: 10.0 Revision date: 08/2018

MTG122

Trimethylamine

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has not yet been carried out

SECTION 16: Other information

Indication of changes Revised safety data sheet in accordance with commission regulation (EU)

No 2015/830

Abbreviations and acronyms ADR: European Agreement concerning the International Carriage

of Dangerous Goods by Road

CAS: Chemical Abstract Service number (USA)

CLP: Classification Labelling Packaging Regulation; Regulation

(EC) No 1272/2008

CSA: Chemical Safety Assessment

EIGA: European Industrial Gases Association

EINECS: European Inventory of Existing Commercial Chemical

Substances

EN: European Standard
ATE: Acute Toxicity Estimate

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code
LC50: Lethal Concentration to 50 % of a test population
OMoD: Swiss Ordinance on the movement of waste

PBT : Persistent, Bioaccumulative and Toxic

PPE: Personal Protection Equipment

REACH: Registration, Evaluation, Authorisation and Restriction of

Chemicals Regulation (EC) No 1907/2006

RID: Regulations concerning the international carriage of

dangerous goods by rail

RMM: Risk Management Measures

STOT-SE: Specific Target Organ Toxicity - Single Exposure

UN: United Nations

vPvB: Very Persistent and Very Bioaccumulative



Page : 11/11

Revised edition n°: 10.0

Revision date: 08/2018

MTG122

Trimethylamine

WGK: Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

	_				
Ната	rd a	et at	nm	nnt	ŀ

H220 Extremely flammable gas
H280 Contains gas under pressure; may explode if heated
H315 Causes skin irritation
H318 Causes serious eye damage
H332 Harmful if inhaled
H335 May cause respiratory irritation

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P260 Do not breathe gas, vapours

P280 Wear protective gloves, protective clothing, eye protection, face protection

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340+P315 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get immediate medical advice / attention

contact lenses, if present and easy to do. Continue rinsing. Get immediate

medical advice / attention

P332+P313 If skin irritation occurs: Get medical advice/attention

P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely

P381 In case of leakage, eliminate all ignition sources

P410+403 Protect from sunlight. Store in a well-ventilated place

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of

going to press

They do not claim to be exhaustive and should be considered as a guide