

Page: 1/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade namePropane $0.5\% - O_2$ 20.9% in N_2 Chemical descriptionPropane $0.5\% - O_2$ 20.9% in N_2

CAS N° -

CE N° Index N° -

Registration n° -

Chemical formula $C_3H_8 - O_2 - N_2$

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial and professional

Test gas/Calibration gas

Laboratory use

Chemical reaction / Synthesis

Contact supplier for more information on uses

Uses advised against Consumer use not recommended

1.3. Details of the supplier of the safety data sheet

MULTIGAS

Company identification Route de l'Industrie 102

CH-1564 Domdidier

Phone number +41 (0) 26 676 94 94

E-mail address <u>info@multigas.ch</u>

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51

+41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Liquefied gas H280



Page: 2/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

 \Diamond

GHS04

Signal word Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Contact with liquid may cause cold burns/frostbite

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (Registration-No.) 01-2119486944-21	0.5%	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Oxygen	(CAS-No.) 7782-44-7 (EC-No.) 231-956-9 (EC Index-No.) 008-00100-8 (Registration-No.)	20.9%	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (EC Index-No.) (Registration-No.) -	78.6%	Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established



Page: 3/10

Revised edition n°: 10.0

Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice See a doctor. Show this safety data sheet to the attending physician

In case of inhalation In case of inhalation, remove the person from the contaminated area. In

case of respiratory arrest, give artificial respiration. See a doctor

In case of skin contact In case of frostbite spray with water for at least 15 minutes. Apply a sterile

dressing. See a doctor

In case of eyes contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

doctor

In case of ingestionDo NOT induce vomiting. Never give anything by mouth to an unconscious

person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

All known extinguishing agents can be used

Unsuitable extinguishing media Do not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards In case of fire or excessive heat, hazardous combustion products may be

produced

Exposure to fire may cause containers to rupture/explode

Hazardous combustion products In case of fire or excessive heat, hazardous combustion products may be

produced such as: carbon oxides

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases

Provide adequate ventilation



Page : 4/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous

Evacuate personnel to a safe place

Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak

6.3. Methods and material for containment and cleaning up

Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing vapour or mist

Ensure adequate air ventilation

Keep away from sources of ignition (including electrostatic charges)

For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-

ventilated place

Content under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
	TWA	1'000 ppm	SUVA: Limit values of	
Propane		IVVA	1'800 mg/m ³	exposure to workstations
	74-98-6	OEL	4'000 ppm	SUVA: Limit values of
			7'200 mg/m ³	exposure to workstations



Page : 5/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

	7782-44-7 OEL	-		
Oxygen		IVVA	-	No occupational exposure limit value
		OEL	-	
			-	
Nitrogen		TWA	-	
	7727-37-9		-	No occupational
	1121-31-9	OEL	-	exposure limit value
			-	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation

Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection Wear goggles and a face shield when transfilling or breaking transfer

connections. Standard EN 166

Skin / hand protection Wear protective gloves. The selected protective gloves have to satisfy the

specifications of EU Directive 89/686 / EEC and the standard EN 374

derived from it

For long-term use

Material: Nitrile rubber or PVC Glove thickness: 0.7 mm Penetration time: 480 min

For short-term use

Material: Nitrile rubber or PVC Glove thickness: 0.4 mm Penetration time: 60 min

Have appropriate, chemical-resistant protective clothing ready for use in

emergencies. Norm EN943-1

Respiratory protection Self-contained breathing apparatus (SCBA) or positive pressure air mask

must be used in oxygenated atmospheres. Standard EN 137 - Self-

contained compressed air device with a full-face mask

8.2.3. Environmental exposure controls

-



Page: 6/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O_2 20.9% in N_2

9.1. Information on basic physical and chemical properties

Appearance

 Physical state at 20°C / Gas 101.3kPa

• Colour Colourless

No data available Odour **Odour threshold** No data available На No data available Melting point / Freezing point No data available **Boiling point** No data available Flash point No data available No data available **Evaporation rate** Not flammable Flammability (solid, gas) **Explosive limits** No data available Vapour pressure [20°C] No data available Vapour pressure [40°C] No data available

Vapour density 0.0012g/cm³

Relative density, liquid (water=1) No data available

Relative density, gas (air=1) 0.9985

Water solubility No data available
Partition coefficient No data available

n-octanol/water (Log Kow)

Auto-ignition temperatureNo data availableDecomposition temperatureNo data availableViscosityNo data availableExplosive propertiesNo data availableOxidising propertiesNo data available

9.2. Other information

Molar mass 28.92 g/mol

Critical temperature [°C]No data availableRelative vapour densityNo data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions



Page: 7/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

None under recommended conditions of use and storage

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity No data available

Skin corrosion/irritation No adverse effects expected with this product Serious eye damage/irritation No adverse effects expected with this product

Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity No data available Reproductive toxicity No data available STOT-single exposure - Target

organ(s)

No data available

STOT-repeated exposure No data available No data available Ingestion hazard

11.2. Information on other hazards

The substance/mixture has no endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Assessment No data available

12.2. Persistence and degradability

No data available



Page : 8/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Endocrine-disrupting properties

The substance/mixture has no endocrine disrupting properties

12.7. Other adverse effects

This product is not associated with any known ecological toxicological effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product Must not be released into the atmosphere

Return to the supplier the product not consumed in its original container

Contaminated container Eliminate as unused product

Contact the supplier if instructions are needed

OMoD Code 16 05 04

Gases in pressure containers (including halon) containing dangerous

substances

SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1956	1956	1956

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
Compressed gas, N.O.S (Nitrogen, Oxygen)	COMPRESSED GAS N.O.S (Nitrogen, Oxygen)	Compressed gas, N.O.S (Nitrogen, Oxygen)



Page: 9/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

14.3. Transport hazard class(es)

Labelling

2

ADR/RID IMDG

IATA

2.2 : Non-flammable, non-toxic gases

14.4. Packing group

ADR/RID IMDG

Not established

IATA

14.5. Environmental hazards

ADR/RID None
IMDG None
ICAO-TI / IATA-DGR None

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A Chemical Risk Assessment (CSA) has not been completed for this product



Page: 10/10

Revised edition n°: 10.0 Revision date: 05/2023

MTGxxx

Propane 0.5% - O₂ 20.9% in N₂

SECTION 16: Other information

Indication of changes Revised safety data sheet in accordance with commission regulation (EU)

No 2015/830

Abbreviations and acronyms ADR: European Agreement concerning the International Carriage

of Dangerous Goods by Road

CAS: Chemical Abstract Service number (USA)

CLP: Classification Labelling Packaging Regulation; Regulation

(EC) No 1272/2008

CSA: Chemical Safety Assessment

EIGA: European Industrial Gases Association

EINECS: European Inventory of Existing Commercial Chemical

Substances

EN: European Standard
ATE: Acute Toxicity Estimate

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code
LC50: Lethal Concentration to 50 % of a test population
OMoD: Swiss Ordinance on the movement of waste

PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protection Equipment

REACH: Registration, Evaluation, Authorisation and Restriction of

Chemicals Regulation (EC) No 1907/2006

RID: Regulations concerning the international carriage of

dangerous goods by rail

RMM: Risk Management Measures

STOT-SE: Specific Target Organ Toxicity - Single Exposure

UN: United Nations

vPvB: Very Persistent and Very Bioaccumulative

WGK: Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place

Disclaimer of liability Details given in this document have been prepared based on the most

available reliable documents and are believed to be correct at the time of

going to press

They do not claim to be exhaustive and should be considered as a guide