	SAFETY DATASHEET	Page : 1/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Propane 1.1% - O ₂ 20.8% in N ₂
Chemical description	Propane 1.1% - O ₂ 20.8% in N ₂
CAS N°	-
CE N°	-
Index N°	-
Registration n°	-
Chemical formula	C ₃ H ₈ – O ₂ – N ₂

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test gas/Calibration gas Laboratory use Chemical reaction / Synthesis Contact supplier for more information on uses
Uses advised against	For use by industrial or professional users only

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51
 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification


2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Liquefied gas

H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

	SAFETY DATASHEET	Page : 2/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



GHS04

Signal word

Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Contact with liquid may cause cold burns/frostbite

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (Registration-No.) 01-2119486944-21	≤1.1%	Flam. Gas 1, H220 Press. Gas (Liq.), H280
Oxygen	(CAS-No.) 7782-44-7 (EC-No.) 231-956-9 (EC Index-No.) 008-00100-8 (Registration-No.) --	20.769 %	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (EC Index-No.) -- (Registration-No.) -	78.131 %	Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established

Propane 1.1% - O₂ 20.8% in N₂

MTGXXX

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. See a doctor
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product itself does not burn All known extinguishing agents can be used
Unsuitable extinguishing media	Do not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced Exposure to fire may cause containers to rupture/explode
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbon oxides

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases
Provide adequate ventilation

Propane 1.1% - O₂ 20.8% in N₂

MTGXXX

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous
 Evacuate personnel to a safe place
 Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak

6.3. Methods and material for containment and cleaning up

Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing vapour or mist
 Ensure adequate air ventilation
 Keep away from sources of ignition (including electrostatic charges)
 For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place
 Content under pressure

7.3. Specific end use(s)


None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Propane	74-98-6	TWA	1'000 ppm	SUVA: Limit values of exposure to workstations
			1'800 mg/m ³	
		OEL	4'000 ppm	SUVA: Limit values of exposure to workstations
			7'200 mg/m ³	

	SAFETY DATASHEET	Page : 5/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGX_{XX}

Oxygen	7782-44-7	TWA	-	No occupational exposure limit value
			-	
		OEL	-	
			-	
Nitrogen	7727-37-9	TWA	-	No occupational exposure limit value
			-	
		OEL	-	
			-	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation
Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection

Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166

Skin / hand protection

Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686 / EEC and the standard EN 374 derived from it

For long-term use

Material: Nitrile rubber or PVC

Glove thickness: 0.7 mm

Penetration time: 480 min

For short-term use

Material: Nitrile rubber or PVC

Glove thickness: 0.4 mm

Penetration time: 60 min

Have appropriate, chemical-resistant protective clothing ready for use in emergencies. Norm EN943-1

Respiratory protection

Self-contained breathing apparatus (SCBA) or positive pressure air mask must be used in oxygenated atmospheres. Standard EN 137 - Self-contained compressed air device with a full-face mask

8.2.3. Environmental exposure controls

-

Propane 1.1% - O₂ 20.8% in N₂
MTGXXX
SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties
Appearance


• Physical state at 20°C / 101.3kPa	Gas
• Colour	Colourless
Odour	No data available
Odour threshold	No data available
pH	No data available
Melting point / Freezing point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	Not flammable
Explosive limits	No data available
Vapour pressure [20°C]	No data available
Vapour pressure [40°C]	No data available
Vapour density	No data available
Relative density, liquid (water=1)	No data available
Relative density, gas (air=1)	No data available
Water solubility	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Molar mass	No data available
Critical temperature [°C]	No data available
Relative density, gas	Lighter than or similar to air

SECTION 10: Stability and reactivity
10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

	SAFETY DATASHEET	Page : 7/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

None under recommended conditions of use and storage

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	No data available
Skin corrosion/irritation	No adverse effects expected with this product
Serious eye damage/irritation	No adverse effects expected with this product
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available


11.2. Information on other hazards

The substance/mixture has no endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Assessment	No data available
-------------------	-------------------

	SAFETY DATASHEET	Page : 8/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Endocrine-disrupting properties

The substance/mixture has no endocrine disrupting properties

12.7. Other adverse effects

This product is not associated with any known ecological toxicological effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product	Must not be released into the atmosphere Return to the supplier the product not consumed in its original container
Contaminated container	Eliminate as unused product Contact the supplier if instructions are needed
OMoD Code	16 05 05 Gases in pressure containers other than those mentioned under 16 05 04


SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1956	1956	1956

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA

	SAFETY DATASHEET	Page : 9/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

Compressed gas, N.O.S (Nitrogen, Oxygen)	COMPRESSED GAS N.O.S (Nitrogen, Oxygen)	Compressed gas, N.O.S (Nitrogen, Oxygen)
--	---	--

14.3. Transport hazard class(es)

Labelling



ADR/RID
IMDG
IATA

2.2 : Non-flammable, non-toxic gases

14.4. Packing group

ADR/RID
IMDG
IATA

Not established

14.5. Environmental hazards

ADR/RID

None

IMDG

None

ICAO-TI / IATA-DGR

None

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable


SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A Chemical Risk Assessment (CSA) has not been completed for this product

	SAFETY DATASHEET	Page : 10/10
		Revised edition n° : 10.0
		Revision date : 10/2023
Propane 1.1% - O₂ 20.8% in N₂		MTGXXX

SECTION 16: Other information

Indication of changes	Revised safety data sheet in accordance with commission regulation (EU) No 2015/830
Abbreviations and acronyms	<p>ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>CAS : Chemical Abstract Service number (USA)</p> <p>CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008</p> <p>CSA : Chemical Safety Assessment</p> <p>EIGA : European Industrial Gases Association</p> <p>EINECS : European Inventory of Existing Commercial Chemical Substances</p> <p>EN : European Standard</p> <p>ATE : Acute Toxicity Estimate</p> <p>IATA : International Air Transport Association</p> <p>IMDG Code : International Maritime Dangerous Goods Code</p> <p>LC50 : Lethal Concentration to 50 % of a test population</p> <p>OMoD : Swiss Ordinance on the movement of waste</p> <p>PBT : Persistent, Bioaccumulative and Toxic</p> <p>PPE: Personal Protection Equipment</p> <p>REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006</p> <p>RID : Regulations concerning the international carriage of dangerous goods by rail</p> <p>RMM : Risk Management Measures</p> <p>STOT-SE : Specific Target Organ Toxicity - Single Exposure</p> <p>UN : United Nations</p> <p>vPvB : Very Persistent and Very Bioaccumulative</p> <p>WGK: Water Hazards Class</p>

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from sunlight. Store in a well-ventilated place

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press

They do not claim to be exhaustive and should be considered as a guide